# **AGRI FARMER**

30.7 | 30.9 | 34.7 | 32.9





## CONTINUOUS EVOLUTION

Constantly ahead in terms of technological solutions, Dieci continues the evolutionary process of its vehicles, raising the standards with the **New Agriculture Range**.

Reliability, efficiency and comfort have reached unprecedented levels through improved design and instrumentation and the introduction of patented, futuristic innovations.

New Stage V engines on the whole range 360° suspended cab and new interior, more intuitive and functional diagnostics and controls, new chassis and new transmissions pring tomorrow's agricultural telehandlers into the field today.

AGRI FARMER, the most agile among the vehicles of the Dieci agricultural range, has been redesigned on a human scale: with the futuristic cab signed by Giugiaro Design and important interventions on comfort and performance. We have provided farmers with a op-quality telehandler.

## AGRI FARMER

NEW MODELS 30.7 30.9 34.7 32.9

heights



#### 30.7 AGRI FARMER

Max height 6,35 m Capacity 3 t

#### 30.9 AGRI FARMER

- Max height 8,7 m
  Capacity 3 t
- **34.7 AGRI FARME** ↑ Max height 6,35 i ▲ Capacity 3,4 t

#### 2.9 AGRI FARMER

- Max height 8,7 m
- Capacity 3,2 t







## ZERO SHOCK System

Cab shock-absorbing system, unique in the telehandler sector, capable of effectively dampening the most annoying oscillations on the roughest terrain.

The hydraulic suspension of the cab effectively reduces oscillations and offers a high driving comfort through 4 supports that absorb impacts and jolts in every direction lateral, vertical, rear and front.









## BE Op

- Rear Integ Duicl Air co
- pera

## TOTAL COMFORT

### MORE VALUE

Cab by Giugiaro Design

· Refined soft-touch interiors, derived from the automotive industry

### **MORE LEGROOM**

Best-in-class ergonomics and accessibility
 More space for the operator's legs

## **MORE COMFORT**

Adjustable steering column and armrest
 Heated seat, 3 suspension system options
 Soundproofing roof, dashboard and mat

## NORE VISIBILITY

arge windows

tegrated LED worklights - Headlights on the perimeter, on the boom id on the boom head

to 3 wireless cameras - 7" color graphic display

## TTER CLIMATE CONTROL

imized air flows: 6 vents available glass and openable roof grated electric lateral window demisting of the windows nditioning with double air filter







Reinforced High-Strength Steel boom with increased swinging force, extension cylinder movement damped on retraction

Stronger, more robust and more stable chassis

Double-cylinder, double-action **hydraulic accessories lock** for maximum stability











## SINGLE CONTROL

- Travel direction and boom are controlled exclusively by the singlelever CAN-bus joystick, which also incorporates the direction selector (reverse shuttle - FNR) for intuitive and comfortable control
- All vehicle control functions are handled by a single control unit that measures the best working parameters through an advanced diagnostic system.
- Load Sensing Flow Sharing distributors: these two hydraulic technologies ensure more simultaneous movements and greater response to controls, for more effective work.

#### MORE POWERFUL E

#### ASIER MORE F

#### MORE SAVING

- Electronic control: maximum forward travel
- precision even at full speed
- 1st gear at 19 km/h
- Maximum speed 40 km/h









## S A

Always at implemei

All this w

HIGH P • A torque ELECTI • Complet LONG A • New top

## AGE V: FAST, ACCURATE ID ECOLOGICAL

entive to environmental issues. Dieci has made a great effort to update the engines of the New Agriculture Range to **Stage V** regulations, ring the DOC and SCR systems and the DPF filter to limit atmospheric emissions.

thout reducing **power, reliability and high performance:** this is the spirit of the new engine that drives all the models of the AGRI amily. A cutting-edge engine with a fully electronic control, to optimize **power output and efficiency**.

### ERFORMANCE

of 379 Nm at only 1500 rpm

### RONIC EVOLUTION

e electronic control: optimized output and efficiency

### UTONOMY

of-range tank: 100 liters of fue

### MINIMUM EMISSIONS

Stage V system
 DOC+SCR catalysts
 DPF
 DOF

- Tools recognition without manual operations: easier, maximum safety
- Immediate vehicle setting for different uses
- Boom readiness and reactivity
- · Precise and fast movements, even at high power





The **Dieci Telematic System** is the innovative telematic system that allows to interact with the vehicle remotely to geolocate it, monitor its operating parameters, measure its performance and limit its use.


By installing a high-tech control unit, the customer and the manufacturer can **connect to the vehicle in real time** from a computer or any mobile device and, through the **GSM and GPS networks**, discover where, if and how the machine is working, and **detect operating anomalies**, if any.


The operating data, collected via cloud, enable full **monitoring and diagnostics**. The support team and user can analyze the parameters directly, identify shortfalls in performance, and improve functionality or identify any maintenance operations required, thereby **optimizing costs** and ensuring **the vehicle and fleet are maintained in peak efficiency**.


The machine and its operators benefit from **active protection against theft and accident:** a notification is sent immediately if the vehicle leaves the predefined area. By setting a safe operating track, the operator is immediately alerted to any risk of impact or anomaly.

## **TECHNICAL DATA**









Vehicle Hydrau Hydrau Max. d

> Vehitolog A B C D E1 F G G H H I K01 K03 K06 K07 K08 L L L U U N1 N1 O P P P P O O O

AGRI FARMER 30.7 - GD	AGRI FARMER 30.9 - GD	

General headquarters in Emilia Romagna - over 135,000 square meters and about 400 people employed - and 3 branches in Germany, United Kingdom, France: Dieci is present in over 70 Countries with **an extensive network of over 400 dealers** and authorized service centers.

Dieci Service, our global technical assistance service, is developed on this basis: our customers are assisted directly by specialized technicians and every request is satisfied in a very short time. Dieci Service, within a few hours, can provide interventions and spare parts all over the world.

Visit www.dieci.com to find the dealer closest to you



# AGRI FARMER

## 30.7 | 30.9 | 34.7 | 32.9



f 🖸 🗖 in